PATENT ABSTRACTS OF JAPAN

(11)Publication number:

11-000386

(43)Date of publication of application: 06.01.1999

(51)Int.Cl.

A61L 2/10 A47K 17/02

(21)Application number : 09-152100

(71)Applicant : SHINEI KK

(22)Date of filing:

10.06.1997


(72)Inventor: WASHIDA KIYOSHI

OKUMURA SATOSHI

(54) ULTRAVIOLET STERILIZATION UNIT

(57) Abstract:

PROBLEM TO BE SOLVED: To provide an ultraviolet sterilization unit which is thin, requires less space, and can produce a uniform sterilizing effect. SOLUTION: A light guide 3 made from an acrylic resin and causing the incidence of an ultraviolet ray from an ultraviolet ray source 5 is provided. A light scattering groove 9 and a light reflecting layer are formed on one side 7 of the light guide 3, and a diffusing plate 11 is formed on the other side. The ultraviolet ray emitted from the ultraviolet ray source 5 is made to impinge on the inside of the light guide 3, either directly or after being reflected by a reflector 6. The ultraviolet ray impinging on the inside of the light guide 3 propagates while undergoing total reflections,



is scattered on contact with the light scattering groove 9, and is emitted from the front surface 8 of the light guide 3. The ultraviolet ray emitted from the surface 8 of the light guide 3 is further made uniform by the diffusing plate 11 and applied to a subject for sterilization.

* NOTICES *

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely
- 2 **** shows the word which can not be translated
- 3 In the drawings, any words are not translated.

TECHNICAL FIELD

[Field of the Invention] About an ultraviolet-ray-pasteurization unit, in more detail, with a thin shape, this invention can be used for a locker, a shoe cupboard, a toilet, a refrigerator, etc, and its area is large and it relates to the ultraviolet-ray-pasteurization unit which can demonstrate a uniform bactericidal effect.

PRIOR ART

[Description of the Ptior Art]Conventionally, the sterilizing unit using the bactericidal effect of ultraviolet rays is known. When using such a sterilizing unit, when it heightens a bactericidal effect that a large area is covered and it may irradiate with ultraviolet rays, it is important

EFFECT OF THE INVENTION

[Effect of the Invention] As explained above, since the ultraviolet-ray-pasteurization unit of this invention has a thin shape, it can be installed in a locker, a shoe cupboard, a toilet, a refrigerator, etc., without becoming obstructive. Therefore, a space-saving ultraviolet-ray-pasteurization unit is obtained

[0020]Since ultraviolet rays are not directly irradiated with the ultraviolet-ray-pasteurization unit of this invention from germicidal lamp glass like before but ultraviolet rays are uniformly irradiated from the whole field of a transparent material, moreover, a uniform bactericidal effect can be acquired in a large area.

TECHNICAL PROBLEM

[Problem to be solved by the invention] However, when a large area tends to be covered and it is going to irradiate with ultraviolet rays, it is necessary to put an ultraviolet ray lamp in order in parallel with a constant interval. However, to an ultraviolet ray lamp, when putting an ultraviolet ray lamp in order in parallel in this way, although a bactericidal effect is large in a perpendicular lower part, in the other direction, a bactericidal effect becomes small. This is canceled, in order to acquire a uniform bactericidal effect in a large area, it is necessary to make [many / as possible] the number of a lamp, and there is a problem that cost will become high. The unit itself becomes large and there is a problem of needing a comparatively big space. Since there are many numbers of a lamp, there is also a problem that a maintenance

takes time and effort.

[0004]Succeeding in this invention in view of the problem of such conventional technology, it has a thin shape, and is space-saving, and the purpose of this invention is to provide the ultraviolet-ray-pasteurization unit which can moreover demonstrate a uniform bactericidal effect

DETAILED DESCRIPTION

[1000]

[Field of the Invention] About an ultraviolet-ray-pasteurization unit, in more detail, with a thin shape, this invention can be used for a locker, a shoe cupboard, a toilet, a refrigerator, etc., and its area is large and it relates to the ultraviolet-ray-pasteurization unit which can demonstrate a uniform bactericidal effect

[0002]

[Description of the Prior Art]Conventionally, the sterilizing unit using the bactericidal effect of ultraviolet rays is known When using such a sterilizing unit, when it heightens a bactericidal effect that a large area is covered and it may irradiate with ultraviolet rays, it is important

[0003]

[Problem to be solved by the invention] However, when a large area tends to be covered and it is going to irradiate with ultraviolet rays, it is necessary to put an ultraviolet ray lamp in order in parallel with a constant interval. However, to an ultraviolet ray lamp, when putting an ultraviolet ray lamp in order in parallel in this way, although a bactericidal effect is large in a perpendicular lower part, in the other direction, a bactericidal effect becomes small. This is canceled, in order to acquire a uniform bactericidal effect in a large area, it is necessary to make [many / as possible] the number of a lamp, and there is a problem that cost will become high. The unit itself becomes large and there is a problem of needing a comparatively big space. Since there are many numbers of a lamp, there is also a problem that a maintenance takes time and effort.

[0004]Succeeding in this invention in view of the problem of such conventional technology, it has a thin shape, and is space-saving, and the purpose of this invention is to provide the ultraviolet-ray-pasteurization unit which can moreover demonstrate a uniform bactericidal effect.

[0005] [Means for solving problem] The ultraviolet-ray-pasteurization unit of this invention has a fabular transparent material which has a light scattering means in one field, and the ultraviolet ray source is allotted to the side of this transparent material. A light reflection member is provided in the field in which the light scattering means of the transparent material was provided. In the ultraviolet-ray-pasteurization unit of this invention, it progresses carrying out total internal reflection of the inside of a transparent material, and the light which entered from the side of a transparent material is irradiated by the diffusion board from the field on the side front of a transparent material, i.e., the near field in which the light scattering means is not provided, by a light scattering means. A diffusion board diffuses ultraviolet rays and equalizes the intensity of the ultraviolet rays irradiated from an ultraviolet-ray-pasteurization unit. The light reflection member has prevented light from leaking from the field on the back side of a transparent material

[0006]

[Mode for carrying out the invention]Hereafter, an embodiment of the invention is described [0007]The ultraviolet-ray-pasteurization unit of this invention has a transparent material

which makes ultraviolet rays penetrate. The light scattering means is formed in one field of a transparent material being able to constitute a light scattering means from an ultraviolet-ray-pasteurization unit of this invention in a light scattering groove, and this light scattering groove being densely formed near the ultraviolet ray source, and following on separating from an ultraviolet ray source -- rough -- ** -- being formed like is preferred By this, from the field on the side front of a transparent material, ultraviolet rays will be irradiated uniformly [0008]As for an ultraviolet ray source which supplies ultraviolet rays to a transparent material, if a bactericidal effect is taken into consideration, what emits ultraviolet rays with a peak wavelength of 250-260 nm is preferred

[0009]Although ultraviolet rays emitted from the above-mentioned ultraviolet ray source are made to penetrate and glass, a plastic, etc. should be just suitable, construction material of a transparent material has a preferred plastic in respect of weight, and is preferred especially. [of a plastic acrylic at transmissivity of ultraviolet rays or a point of surface hardness] A thing desirable as construction material of a transparent material is poly methyl methacrylate (PMMA) (.) It consists of polycarbonate (PC), polypropylene (PP), polyfluoroethylene (PTEE), polyvinylidene fluoride (PVDF), a polymethyl pentene (TPX), silica glass, multicomponent glass, and these combination

[0010]Since ultraviolet rays which leak and come out from a field in which a light scattering means of a transparent material was provided are reflected in a field of a side which has not established a light scattering means, a light reflection member is provided. Things desirable as a light reflection member are a polyester sheet, an aluminum plate, and a silver deposition film.

[0011]An ultraviolet-ray-pasteurization unit of this invention may establish a diffusion means for equalizing further ultraviolet rays emitted from a transparent material. This diffusion means is provided in a field on a side front of an opposite hand with a field on the back side in which a light scattering means of a transparent material was provided. A thing desirable as a diffusion means performs diffusion treatment to a plastic sheet, and construction material of a desirable plastic sheet, They are polyester, poly methyl methacrylate, polycarbonate, polypropylene polyfluoroethylene, polyvinylidene fluoride, a polymethyl pentene, etc. A diffusion means is stuck so that it may stick to a field of an opposite hand of a field in which a light scattering means of a transparent material was provided. Or what carried out diffusion treatment beforehand on the surface of a transparent material may be used. [0012]

[Working example] The embodiment of this invention is described referring to Drawings. Drawing 1 shows the outline composition of the equipment using the ultraviolet-raypasteurization unit concerning one embodiment of this invention, and drawing 2 is the detailed sectional view The equipment of drawing 1 adds the lighting device 2 to the ultraviolet-ray-pasteurization unit 1 of this example. As shown in drawing 2, the ultravioletray-pasteurization unit 1 of this example is formed by the ultraviolet ray source 5 along the one side 4 of the tabular transparent material 3, and on the outside of the ultraviolet ray source 5. While keeping ultraviolet rays from leaking, the reflector 6 (product made from aluminum) for leading the ultraviolet rays irradiated by the opposite hand to the transparent material 3 with the transparent material 3 side is formed. In this example, PMMA (560F, Asahi Chemical make) was used for the transparent material 3. The ultraviolet ray lamp (phi10xL120mm, Iwasaki Electric make) was used as the ultraviolet ray source 5 The ultraviolet rays emitted from this ultraviolet ray source 5 have the wavelength distribution which has a peak to a 250-260-nm field in consideration of the bactericidal effect. As shown in drawing 1, the end-face tape 13 for preventing the leakage of ultraviolet rays is stuck on the sides other than side 4 of the transparent material 3

[0013] Many light scattering grooves 9 for scattering ultraviolet rays over one field 7 of the transparent material 3, and making it emitted to another field 8 side of the transparent material 3 are formed. The section of the light scattering groove 9 is a slot of V shape. In this example, the light scattering groove 9 is functioning as a light scattering means. The light scattering groove 9 can be formed by machining, laser beam machining, etc. Drawing 3 (a) is a top view of the transparent material 3, and shows the interval in which the light scattering groove 9 is established. As shown in the figure, the light scattering groove 9 is followed on keeping away from the ultraviolet ray source 5 instead of regular intervals, and it is formed so that it may become dense. Thus, by forming the light scattering groove 9, it becomes possible from the field 8 on the side front of the transparent material 3 to make ultraviolet rays emit uniformly. The white reflection film 10 which consists of a polyester sheet (E60L, Toray Industries make) for reflecting in the field 8 side the ultraviolet rays which leak and come out of the field 7 side is formed in the field [in which the light scattering groove 9 of the transparent material 3 was formed] 7 side. The diffusion board 11 for equalizing the ultraviolet rays emitted from the transparent material 3 is formed in the field 8 on the side front of the transparent material 3 In this example, the reflection film 10 is functioning as a light reflection member. The diffusion board 11 is functioning as a diffusion means. [0014]The ultraviolet-ray-pasteurization unit of this invention can also be considered as the composition which formed the ultraviolet ray source 5 in two sides of the transparent material 3, as shown in drawing 3 (b). In this case, in order to make ultraviolet rays emit uniformly from the field 8 of the transparent material 3, it is preferred to form the light scattering groove 9 in the portion close to the ultraviolet ray source 5 so that the light scattering groove 9 may become dense [the light scattering groove 9] in the center portion which is separated from a rough next door and the ultraviolet ray source 5 as shown in the figure [0015]In the ultraviolet-ray-pasteurization unit 1 of this example which has the above composition, the ultraviolet rays emitted from the ultraviolet ray source 5 enter in the transparent material 3, after being reflected by direct or the reflector 6. The ultraviolet rays which entered in the transparent material 3 advance carrying out total internal reflection, are scattered about by the light scattering groove 9, and are emitted from the field 8 on the side front of the transparent material 3. It is further equalized with the diffusion board 11, and is irradiated with the ultraviolet rays which came out from the field 8 of the transparent material 3 by the sterilization subject.

[0016]in order to check the effect of the ultraviolet-ray-pasteurization unit 1 of such this example, the experiment which investigates the bactericidal effect over Escherichia coli as shown in drawing 4 (a) and the key map of (b) was conducted. That is, as shown in drawing 4 (a), Escherichia coli is cultivated to the culture medium 21 in the petri dish 22, and the ultraviolet-ray-pasteurization unit 1 of this example was installed in this on [of the petri dish 22] perpendicular at a 15-cm position. As a comparative example, as shown in drawing 4 (b), the bactericidal effect was similarly investigated about the case where only the ultraviolet ray source 25 is used. In the case of the comparative example, it installed in a 15-cm position on [of the center section of the culture medium 21 in the petri dish 22 which cultivated Escherichia coli] perpendicular, and UV irradiation was performed in parallel to the above-mentioned embodiment. The result was shown in Table 1.

[0017] [Table 1]

	生 菌 率(%)							
装 置	実施例(導光体ユニット)			比較例(紫外線ランプのみ)				
位置	A	В	С	A	В	C		
0 秒後	100	100	100	100	100	100		
3 0 秒後	4 2	48	40	8 8	3 6	7 2		
6 0 秒後	2	2	3	12	2	15		
120秒後	0	0	0	4	-0	6		

[0018]In the case of a comparative example, the result of Table 1 shows that the bactericidal effect over Escherichia coli is dramatically high in the position of B [directly under] of the ultraviolet ray source 25, but in the position of the positions A and C which are distant from directly under [of the ultraviolet ray source 25], it turns out that a bactericidal effect is low. On the other hand, when the ultraviolet-ray-pasteurization unit 1 of this example is used, also in the position of the positions A and C which are distant from directly under [of not only the position / directly under / B of the sterilizing unit 1 but the sterilizing unit 1], it turns out that a bactericidal effect is dramatically high. Thus, when using the ultraviolet-ray-pasteurization unit 1 of this example, it was able to check that covered a large area and a high bactericidal effect was acquired.

[0019]

[Effect of the Invention] As explained above, since the ultraviolet-ray-pasteurization unit of this invention of this invention has a thin shape, it can be installed in a locker, a shoc cupboard, a toilet, a refrigerator, etc., without becoming obstructive. Therefore, a space-saving ultraviolet-ray-pasteurization unit is obtained

[0020]Since ultraviolet rays are not directly irradiated with the ultraviolet-ray-pasteurization unit of this invention from germicidal lamp glass like before but ultraviolet rays are uniformly irradiated from the whole field of a transparent material, moreover, a uniform bactericidal effect can be acquired in a large area.

CLAIMS

[Claim(s)]

[Claim 1]An ultraviolet-ray-pasteurization unit comprising:

A tabular transparent material which has a light scattering means in one field An ultraviolet ray source allotted to the side of this transparent material A light reflection member provided in said one field side of said transparent material.

[Claim 2]as said light scattering means is densely formed near said ultraviolet ray source and separates from this ultraviolet ray source -- rough -- ** -- the ultraviolet-ray-pasteurization unit according to claim 1 which is the light scattering groove currently formed like.

[Claim 3]The ultraviolet-ray-pasteurization unit according to claim 1 or 2 which is what said transparent material becomes from poly methyl methacrylate, polycarbonate, polypropylene, polyfluoroethylene, polyvinylidene fluoride, a polymethyl pentene, silica glass, multicomponent glass, and these combination.

[Claim 4] The ultraviolet-ray-pasteurization unit according to any one of claims 1 to 3 which is a range whose peak wavelength of ultraviolet rays irradiated from said ultraviolet ray source is 250 nm - 260 nm

[Claim 5]An ultraviolet-ray-pasteurization unit having further a diffusion means which diffuses ultraviolet rays emitted from a field of another side of said light guide plate

(19)日本国特許庁 (JP)

(12) 公開特許公報(A)

(11)特許出願公開番号

特開平11-386

(43)公開日 平成11年(1999)1月6日

(51) Int Cl. 6	識別記号	FI	2/10
A61L 2/10		A61L 2	
A47K 17/02		A47K 17	7/02 Z
		審査請求	未請求 請求項の数5 OL (全 5 頁)
(21)出願番号	特顯平9~152100	(71)出顧人	000192464 神栄株式会社
(22) 出願日	平成9年(1997)6月10日		兵庫県神戸市中央区東町113番地の1
		(72)発明者	鷲田 潔 兵庫県神戸市西区室谷2丁目2番7 神栄 株式会社中央研究所内
		(72)発明者	
		(72)光明省	兵庫県神戸市西区室谷2丁目2番7 神栄 株式会社中央研究所内
		(74)代理人	弁理士 角田 嘉宏 (外1名)
(54) 【発明の名称】	紫外線殺菌ユニット		
•• • • • • • • •			4 11 8
	• • • • • • • • • • • • • • • • • • • •		nundanya)
	• • • • • • • • • • • • • • • • • • • •	::::* K	
	• • • • • • • • • • • • • • • • • • •	6	manning of the state of the sta
• • • • • • •	• • • • • • • • • • • • • • • • •		9 9 7 9 9 10

【特許請求の範囲】

【讀求項】】 一方の面に光散乱手段を有する板状の響 光体と、該導光体の側面に配された繁外後光額と一前記 夢光体の前記一方の面側に設けられた光反射部材とを備 えたことを特徴とする紫外線殺菌コニット。

【語求項2】 前記光散乱手段は、前記紫外線光源の近 傍で密に形成され、該盤外線光源から離れるにつれて粗 となるように形成されている光散乱構である請求項1記 戴の繁外複殺菌ユニット。

【請求項3】 前記導光体が、ポリメタクリル酸メチ ルーポリカーボネート、ポリプロピレン、ポリファ化エ チレン、ポリファ化ビニリテン、ポリメチルペンテン 石英ガラス、多成分ガラス及びこれらの組合せからなる ものである請求項1又は2に記載の繁発複殺菌ユニュ

【請求項4】 前記紫外線光源から照射される紫外線の ビーク波長が250mm~260mmの範囲である請求 項1乃至3の何れかに記載の紫外線製菌ユニット。

【請求項5】 前記導光板の他方の面から出射する紫外 線を鉱散させる鉱散手段を更に備えたことを特徴とする。20 紫外線設爾ユニット。

【発明の詳細な説明】

[00001]

【発明の属する技術分野】との発明は 紫外線機菌ユニ **っ上に関し、更に詳しくは「薄型で」ロッカー「下駄」** 着 トイレ、冷蔵庫等に使用することができ、面積が広 く 均一な殺菌効果を発揮し得る紫外線殺菌ユニットに 関する。

[0002]

殺菌ユニットが知られている。このような殺菌ユニット を用いる場合 広い面積に亘って紫外線を照射し得ると とが、殺菌効果を高めるうえて重要である。

[00031

【発明が解決しようとする課題】ところが、広い面積に 亘って紫外線を照新しようとすると 繁外線ランプを一 定間隔で平行に並べることが必要となる。しかし この ように紫外線ランプを平行に並べる場合、紫外線ランプ に対して鉛直下方では殺菌効果が大きいが、それ以外の 方向では殺菌効果が小さくなる。これを解消して 広い 40 面積でムラのない殺菌効果を得るためには、ランブの本 数をできる限り多くすることが必要となり、コストが高 くなってしまうという問題点がある。また、ユニットそ のものが大きくなり、比較的大きなスペースを必要とす るという問題点がある。更に、ランプの本数が多いため にメンテナンスに手間を要するという問題点もある。

【0004】本発明はこのような従来技術の問題点に鑑 みて為されたものであり 本発明の目的は、薄型でかつ 省スペースで「しかも均一な殺菌効果を発揮し得る紫外」 緩殺菌ユニュトを提供することである。

[0005]

【課題を解決するための手段】本発明の紫外線殺菌コニ ットは、一方の面に光散乱手段を有する板状の導光体を 有し この導光体の側面には紫外線光源が配されてい る。夢光体の光散乱手段が設けられた面には光反射部材 が設けられる。本発明の繁外複殺菌ユニットでは 導光 体の側面から入射した光は | 導光体内を全反射しながら **進み、光飲乱手段によって巻光体の表側の面、即ち光飲** 乱手段が設けられていない側の面から鉱散板に瞬射され る。拡散板は繋外線を拡散させて、紫外線殺菌コニュト から照射される繁外線の強度を均一化する。光反射部材 は導光体の裏側の面から光が漏れるのを防止している。 [0006]

【発明の実施の形態】以下 本発明の実施の形態につい て説明する。

【①①①7】本発明の紫外線線菌コニットは、繁発線を 透過させる導光体を有している。また | 導光体の一方の 面には光散乱手段が形成されている。本発明の繁外線線 菌ユニットでは、光散乱手段は光散乱溝で構成すること ができ、この光散乱達は 紫外線光源の近傍で密に形成 され 紫外線光源から離れるに伴って組となるように形 **成されるのが好ましい。これにより 導光体の表側の面** からは紫外線が均一に照射されることとなる。

【0008】導光体に紫外線を供給する紫外線光源は、 殺菌効果を考慮すれば、ビーク波長250~260mm の繁角線を発するものが好ましい。

【0009】響光体の材質は、上記の斃外線光源から発 せられる紫外線を透過させるものであればよく。ガラ ス ブラスチック等が適しているが 重量の点でブラス 【従来の技術】従来より 駒外線の段繭効果を利用した 30 チックが好ましく、中でも 紫外線の透過率や表面硬度 の点でアクリル系のプラスチックが好ました。導光体の 材質として好ましいものは ポリメタクリル酸メチル 《(PMMA) ポリカーボネート(PC)、ポリプロ ピレン (PP) ポリファ化エチレン (PIEE)、水 リファ化ヒニリテン(PVDF)、ポリメチルベンテン (TPX)、石英ガラス 多成分ガラス及びこれらの組 合せからなるものである。

> 【0010】また、光反射部材は、導光体の光散乱季段 を設けた面から漏れ出る紫外線を光散乱手段を設けてい ない側の面に反射するために設けられている。光反射部 材として好ましいものは ポリエステルシート アルミ ニウム板、銀蒸着フィルムである。

【0011】更に、本発明の紫外線報菌ユエットは、導 光体から出射される紫外線を更に均一化するための拡散 手段を設けてもよい。この鉱散手段は 導光体の光散乱 手段を設けた裏側の面とは反対側の表側の面に設けられ る。拡散手段として好ましいものはプラスチックシート に拡散処理を施したものであり、好ましいプラスチック シートの材質は「ボリエステル、ボリメタクリル酸メチ 50 ルーポリカーボネート ポリプロピレンポリファ化エチ

レン、ポリファ化ビニリテン、ポリメチルペンテン等で

ある。拡散手段は、導光体の光散乱手段を設けた面の反 対側の面に密着するように貼り付ける。或いは 製光体 の表面に予め拡散処理をしたものを用いてもよい。

[0012]

【実施例】本発明の実施例について 図面を参照しなが **ら説明する。図1は本発明の一実施例に係る紫外線毅園** ユニットを用いた装置の概略構成を示し 図2はその詳 細断面図である。図1の装置は、本実施例の紫外線殺菌 ユニット1に点灯装置2を付加したものである。本実施「10」光纜5を設けた構成とするとともできる。この場合に 例の集外線殺菌ユニット1は、図2に示すように「板状」 の等光体3の一つの側面4に沿って繋外線光額5が設け られ 紫外線光源5の外側には、紫外線が漏れないよう にするとともに 導光体3側とは反対側に照射される紫 外線を導光体3に導くためのリフレクタ6 (アルミ製) が設けられている。本裏施例では、導光体3にはPMM A (560F 組化成製) を用いた。また、紫外線光源 5として紫外線ランプ {φ | 0×L | 20 mm 岩崎電 気製)を用いた。この紫外線光源5から出射される紫外 にピークを有する波長分布を有している。導光体3の側 面4以外の側面には、図1に示すように、紫外線の漏れ を防止するための韓面テープ13が貼り付けられてい **S.**

【0013】等光体3の一方の面7には紫外線を散乱さ せて選走体3のもう一方の面8側に出射させるための光 散乱溝9が多数設けられている。光散乱溝9は 断面が V字型の漢である。本実施例では光散乱繰りが光散乱手 段として機能している。光散乱獲9は機械加工 レーザ 加工等によって形成するととができる。図3(a)は響 30 mの位置に設置した。比較例として 204(b)に示す 光体3の平面図であり、光散乱撲9が設けられる間隔を 示している。同図に示すように、光散乱繰りは等間隔で、 はなく、紫外線光源5から遠ざかるに伴って密となるよ うに形成されている。このように光散乱漂りを形成する。 ことにより、導光体3の表側の面8から紫外線を均一に 出射させることが可能となる。 導光体 3の光散乱落 9を 形成した面で側には、面で側から漏れ出る紫外線を面8米

*側に反射させるための ポリエステルシート (E60) L 東レ製)からなる白色の反射フィルム 1 0 が設ける れている。更に 導光体3の表側の面8には、導光体3 から出射される斃外線を均一化するための拡散板11が 設けられている。本裏施例では反射フィルム10が光反 射部封として機能している。また、鉱散板!1が鉱散手 段として銭能している。

【0014】なお、本発明の紫外線製繭ユニュトは、図 3 (b) に示すように 遊光体3の2つの側面に築外線 は 導光体3の面8から繋外線を均一に出射させるため に 同図に示すように、繁外線光額らに近接した部分で は光散乱得9が組となり、熱外線光源5から離れた中央 部分では光散乱溝9が密となるように光散乱溝9を形成 するととが好ましい。

【0015】以上の構成を有する本実施例の紫外線殺菌 ユニット1では 紫外線光源5から出射する紫外線は直 接又はリフレクタ6によって反射された後、導光体3内 に入射する。導光体3内に入射した繁発線は全反射しな 複は「殺菌効果を考慮して」250~2600mの領域「20」がら進行し、光散乱獲9によって散乱され、導光体3の 表側の面8から出射する。等光体3の面8から出た紫外 線は 更に拡散板11で均一化され 殺菌対象物に照射

> 【0016】このような本実施例の繁発線殺菌ユニット 1の効果を確認するため、図4 (a) 及び(b) の概念 図に示すような大腸菌に対する殺菌効果を調べる実験を 行った。即ち「図4(a)に示すように、シャーレ22 内の培釶21に大腸菌を培養しておき これに本実施例 の繁外線殺菌ユニット1をシャーレ22の鉛直上15c よろに、紫外線光源25のみを用いた場合についても同 様に殺菌効果を調べた。比較例の場合「大腸菌を培養し」 たシャーレ22内の培地21の中央部の鉛直上15cm の位置に設置し 上述の実施例と並行して紫外線照射を 行った。その結果を表1に示した。

[0017]

【表1】

	生 薗 平 (%)						
袋 遛	実施例(尋売体ユニット)			比較例(繋外線デク・の)み)			
位置	A	В	C	A	В	C	
0 砂後	100	100	100	100	100	100	
3 0 移後	42	48	40	88	36	7.2	
60秒後	2	2	3	12	2	L 5	
120秒数	0	0	0	4	0	G	

【0018】表1の結果から、比較例の場合には繁外線

果が非常に高いことが分かるが、紫外線光線25の直下 光源25の直下のBの位置では、大嶋菌に対する殺菌効 50 から離れた位置A及びCの位置では殺菌効果が低いこと

が分かる。これに対して 本実施例の態外線殺菌ユニュト1を使用した場合、殺菌ユニュト1の直下の位置日のみならず、殺菌ユニュト1の直下から離れた位置A及びCの位置に於いても殺菌効果が非常に高いことが分かる。このように 本実施例の象外線殺菌ユニュト1を使用すれば、広い面詞に亘って高い殺菌効果が得られることを距離することができた。

5

[0019]

【発明の効果】以上説明したように 本発明の本発明の 無外線殺菌ユニットは薄型であるため ロッカー 下駄 10 箱 トイレ 冷蔵画等に邪魔にならずに設置するととが できる。従って 省スペースの無外線数菌ユニットが得 られる。

【0020】また、本発明の集外機般菌ユニットは、従来のように殺菌灯から直接集外機が照射されるのではなく。 等光体の面全体から繁外線が均一に照射されるのでは、面積でしかも均一な殺菌効果を得ることができる。

【図面の簡単な説明】

【図 1 】本発明の紫外線製磁ユニットを点灯装置ととも # 20

*に示した斜視図である。

【図2】図1に於ける無外線殺菌ユニットの部分断面図である。

5


【図3】(a)及び(b)は、それぞれ紫外機殺菌ユニュトの導光体に形成される光散乱漢の間隔を示すための平面図である。

【図4】(a)及び(b)は それぞれ実施例の紫外線 殺菌ユニット及び比較例の紫外線光鏡の殺菌効果を確認 するための試験を示す機略図である。


5 【符号の説明】

- 1…紫外線殺菌ユニット
- 3 導光体
- 4 侧面
- 5 築外線光源
- 6…リフレクタ
- 9…光散乱满
- 1 () 一反射フィルム
- 11 拡散板
- 13…蝶面テープ







[22]



[24]





(a)

